

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Terminal box, With screw cover, no mounting plate, no flange plates, Material: Stainless steel, 316L/1.4404, Surface: brushed, silver, 120 mm x 120 mm x 100 mm, Type of locking: Screw-on cover

Why buy this product

- Innovative product range of high-quality stainless steel housings as the basis for individual terminal boxes
- Reduced assembly and approval effort thanks to ready-equipped terminal boxes
- Flange plates possible on four sides of the housing, including seal protection
- Housing adjustments using threads, bore holes, and rectangular cutouts with consideration given to normative specifications



Key Commercial Data

Packing unit	1 pc
GTIN	4 046356 927673
Weight per Piece (excluding packing)	99.99 g
Custom tariff number	94032080
Country of origin	Germany
Note	Made to Order (non-returnable)

Technical data

General

Туре	AAA-A
Type of note	Notes on operation
Note	Prepared for direct installation of a DIN rail
Color	silver

Dimensions

Width	120 mm
Height	120 mm
Depth	100 mm
Clearance width, maximum DIN rail length	110 mm
Max. material thickness	1.5 mm



Technical data

General

Housing material	Stainless steel, 316L/1.4404
Surface characteristics	brushed
Note	240 grain
Cover fastening	Screw-on cover
Note	Allen screws
Assembly instructions	External fixing clips
Surface impact strength	7.00 J
Seal material	Silicon

Ambient conditions

IP/NEMA protection class	IP66
Ambient temperature (operation)	-55 °C 135 °C

Classifications

eCl@ss

eCl@ss 4.0	27180101
eCl@ss 4.1	27180101
eCl@ss 5.0	27180502
eCl@ss 5.1	27180502
eCl@ss 6.0	27180502
eCl@ss 7.0	27180502
eCl@ss 8.0	27144403

ETIM

ETIM 4.0	EC000261
ETIM 5.0	EC002713

Accessories

Accessories

Screwdriver tools

Screwdriver - SF-BIT-HEX 3-50 - 1212647



Screw bit, hexagon, E6.3-1/4" drive, size: Hex 3×50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ ISO 1173



Accessories

Screwdriver - SF-BIT-HEX 4-50 - 1212648



Screw bit, hexagon, E6.3-1/4" drive, size: Hex 4 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ ISO 1173

Torque tool

Torque screwdriver - TSD-M 6NM - 1212226



Torque screw driver, accuracy as per EN ISO 6789 standard, adjustable from 3 - 6 Nm

Universal tools

Control cabinet key - USS 4 - 1203149




Control cabinet key, metal, for all common types of control cabinet

Drawings



Dimensional drawing



Phoenix Contact 2015 @ - all rights reserved http://www.phoenixcontact.com